

LytePro7



Architectural LED Wall Sconce

- Long Life: 60,000 Hours
- Energy Efficient: Only 13 Watts
- High Performance Optics: Wide, Uniform Coverage
- Environmentally Friendly: Green Technology
- Sleek European Styling
- Quick "Set and Lock" Mounting



Residential



Commercial



Institutional




Multi-Housing

The Leading Edge in LED Technology


The all new LytePro7 Series Architectural Wall Sconce from Stonco is less than half the size of traditional wall-type fixtures. It is designed using high performance LED sources for maximum output and uniform light distribution. The Philips LED engine technology delivers excellent light quality without glare, improving safety and security in surface lighting applications.

Similar or Better Light Distribution HPS and CF


LytePro7 is designed with shielded optics and Type III distribution, minimizing glare and meeting local light trespass codes. Light losses are minimal within the fixture, resulting in greater uniformity and repeatability without annoying hot spots.




13 watt LED



35 watt HPS



28 watt CF



Energy Savings of 50% and Greater

With system wattage of only 13, LytePro7 uses considerably less energy than comparative luminaires using compact fluorescent or HPS lamp sources. Its low energy consumption makes the LytePro7 right for today!


LytePro7 is available in either 50Hz or 60 Hz at 120 to 220 volts.

Patent Pending Design

PHILIPS
sense and simplicity

Exceptionally Long Life and Very Low Maintenance Cost

LytePro7 has a rated life of 60,000 hours while maintaining excellent lumen maintenance. The optical system directs light only where it is desired and at the levels desired reducing light pollution.



Quality Construction Sets LytePro7 Apart



Polyester Powder Coated Titanium and White Finishes

Looks great and resists oxidation

Patented Philips LED Light Engine with Collimating Optics

High quality, high lumen output LED sources (4100k) deliver light with minimal waste

Electronic LED Driver

120-220 volt 50/60 Hz input

Contractor-Friendly Mounting

Mounts easily to recessed boxes using a "Set and Lock" bracket and locks into place

Die-Cast Aluminum Body

Rugged design for excellent heat management

PCBI Photocontrol

Field-installed photocontrol for automatic all-night lighting

3-Year Warranty

Patent Pending Design

Contractor-Friendly Installation



Mount the LytePro7 to any recessed electrical box or surface FS box using the universal mounting bracket. Adjust using the built-in bubble level and quickly make wiring connections in the LytePro7's approved wiring box. Hook and lock the fixture to the bracket using the single screw and you're done!

Ordering Information



LP7W

White Finish
120-220 volt, 50/60 Hz



LP7T

Titanium Finish
120-220 volt, 50/60 Hz

The LytePro7 is fully gasketed and listed for wet locations.



Stonco is a Philips group brand
2345 Vauxhall Road • P.O. Box 129 • Union, NJ 07083
908-964-7000 • Fax: 908-688-1388
www.crescent-stonco.com



Listed for
Wet Locations

